



Certificate of Analysis
Compliance Test

Client Information:

CBD Living Water
226 N Maple St
Corona Ca, California 92878
Order # CBD231003-010001
Order Date: 2023-10-03
Sample # AAEX442

Batch # 23270
Batch Date: 2023-09-26
Extracted From: Hemp

Test Reg State: Oregon

Sampling Date: 2023-10-03
Lab Batch Date: 2023-10-03
Completion Date: 2023-10-06

Volume: 500 ml



Potency 11 (LCMS)
Tested

Product Image

Potency 11 - (LCMS)		Tested		SOP13.030 (LCMS)	
Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/ml)	(%)
Specimen Weight: 750000.000 mg					
CBD	8.000	3.37E-7	7.5E-5	22.590	0.002259
CBC	8.000	1.94E-6	7.5E-5	<LOQ	<LOQ
CBDA	8.000	7.78E-8	7.5E-5	<LOQ	<LOQ
CBDV	8.000	9.80E-8	7.5E-5	<LOQ	<LOQ
CBG	8.000	4.00E-7	7.5E-5	<LOQ	<LOQ
CBGA	8.000	4.71E-8	7.5E-5	<LOQ	<LOQ
CBN	8.000	1.25E-6	7.5E-5	<LOQ	<LOQ
Delta-8 THC	8.000	8.36E-7	7.5E-5	<LOQ	<LOQ
Delta-9 THC	8.000	2.98E-5	7.5E-5	<LOQ	<LOQ
THCA-A	8.000	1.51E-7	7.5E-5	<LOQ	<LOQ
THCV	8.000	1.24E-6	7.5E-5	<LOQ	<LOQ
Total Active CBD	8.000			22.590	0.002259
Total Active THC	8.000			<LOQ	<LOQ

Potency Summary	
Total Active THC	ND
Total Active CBD	0.002259% 11.295 mg
Total CBG	ND
Total CBN	ND
Other Cannabinoids	ND
Total Cannabinoids	0.002259% 11.295 mg

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

